

Add the Oracle (oci8) Extension to Zend Server for IBM i 2021.1.x and later

Issue

When trying to access an Oracle table in PHP running on Zend Server for IBM i, the PHP program fails with following error: undefined function OCILogon()

Environment

Starting with Zend Server 2021.1.0 the Oracle oci8 Extension can be added using **yum install**. This extension *is not available in Zend Server 2020.x and Zend Server 2021.0*, as there was no available 64-bit version from Oracle at that time.

Resolution

The Open Source Environment for IBM i must be configured prior to running this command

<https://ibmicommunity.thebeardedgeek.com/2020/07/setting-up-the-open-source-environment-on-ibm-i/>

Make sure you are logged in with a *SECOFR class user profile. Your user profile should have a home directory containing a *.profile* file, and that *.profile* file should set your path so the *yum* command can be found.

If you are not sure your user profile is properly set up, please review [Preparing for Installation](#)

To begin the update, go into the PASE terminal. From the 5250 command line:

```
call qp2term
```

In the PASE terminal, enter this command.

```
yum install php-oci8-zend-server
```

The system will resolve dependencies and calculate the download size. Key 'y' to continue the install.

```
/QOpenSys/usr/bin/-sh
```

Dependencies Resolved

```
=====
Package           Arch    Version      Repository    Size
=====
Installing:
php-oci8-zend-server  ppc64   2021.1.2-2    zend_server   562 k
Installing for dependencies:
liboci-zend         ppc64   10.2-25       zend_server   40 M
=====
```

Transaction Summary

```
=====
Install      2 Packages
=====
```

Total download size: 40 M

Installed size: 123 M

Is this ok [y/N]:

```
==> y
```

Messages similar to the ones below will appear as the installation proceeds. While the update is running, do not enter additional commands or exit the screen. Allow the process to run until a dollar sign (or hashtag for QSECOFR) appears. This indicates the process has completed.

```

-----
Total                20 MB/s | 40 MB   00:02
Running Transaction Check
Running Transaction Test
Transaction Test Succeeded
Running Transaction
Installing : liboci-zend-10.2-25.ppc64          1/2
Installing : php-oci8-zend-server-2021.1.2-2.ppc64      2/2

Installed:
php-oci8-zend-server.ppc64 0:2021.1.2-2

Dependency Installed:
liboci-zend.ppc64 0:10.2-25

Complete!
$

```

The zsd daemon needs to be restarted after the extension has been added.

```
/usr/local/zendphp74/bin/zsd.sh restart
```

This command submits a job to the jobqueue on the IBM i.

```
/usr/local/zendphp74/bin/zsd.sh restart
CPC1221: Job 082836/QTMHHTTP/ZSDAEMON submitted to job queue ZSVR_JOBQ in library ZENDPHP74.
```

Once the submitted job has completed, log into the Zend Server User Interface, typically at port 10101 for Zend Server 2021.1.x

Navigate to the PHP tab and click on Extensions. The oci8 extension will be 'off' by default. Select the extension by clicking the check box and then click the 'Enable' button at the top left of the window.

Quick find (Ctrl-Alt-F)

- Getting Started
- Dashboard
- PHP
 - Extensions
 - phpinfo()
- Applications
- Servers
- Monitoring
- Z-Ray
- Code Tracing
- Debugging
- Job Queue
- Caching
- Plugins
- Security
- Administration


Extensions

Save
Enable
Disable


<input type="checkbox"/>	Name	Status	Version	Description
<input type="checkbox"/>	hash	Built-In	7.4.28	Arbitrary Length Messages Processing
<input type="checkbox"/>	ibm_db2	Loaded	2.1.3	IBM DB2 DB Access
<input type="checkbox"/>	iconv	Loaded	7.4.28	Character Set Conversion
<input type="checkbox"/>	imagick	Loaded	3.4.4	ImageMagick Image Manipulation API
<input type="checkbox"/>	imap	Loaded	7.4.28	IMAP, POP3 and NNTP
<input type="checkbox"/>	intl	Loaded	7.4.28	Internationalization
<input type="checkbox"/>	json	Built-In	7.4.28	JavaScript Object Notation
<input type="checkbox"/>	Language Options			Language and Script Configuration Directives
<input type="checkbox"/>	ldap	Loaded	7.4.28	Open Lightweight Directory Access Protocol
<input type="checkbox"/>	libxml	Built-In	7.4.28	libxml Library Interface
<input type="checkbox"/>	mbstring	Loaded	7.4.28	Multibyte Character Processing
<input type="checkbox"/>	Misc			Assorted Directives
<input type="checkbox"/>	mongodb	Loaded	1.9.1	MongoDB Interface
<input type="checkbox"/>	mysqli	Loaded	7.4.28	MySQL Improved
<input type="checkbox"/>	mysqlnd	Built-In	mysqlnd 7.4....	MySQL Native Driver
<input checked="" type="checkbox"/>	oci8	Off		Oracle Call Interface
<input type="checkbox"/>	odbc	Loaded	7.4.28	Unified ODBC Functions

Before the extension can be 'loaded' and functional, a Restart of Zend Server is required. There should be an orange circular arrow in the upper right of the window indicating the need for a Restart.

Please note that the Restart will require that your website / applications will be down for a few minutes while the changes are applied and the server jobs restarted.



After pressing the orange arrow for the Restart the following Confirmation screen will appear. Press Yes if you are ready to Restart Zend Server. If you decide not to restart at this time, press No to Cancel the request.



When the Restart has completed, the Extension will be 'Loaded'. Clicking it once displays the details of the messages and use of the extension.

